



HZFA-V

W

U

A

,
,

ö

”


†

”

’



HZFA-V



—

—

—




EE



AC220V ± 20

15A





CT/PT

PT

CT

PT

/





2000


/

RS232

U

20Kg

CT	220V	0—1000V	3KVA	< 0.5%
PT	220V	0—330V	3KVA	< 0.5%
CT	220V	0-8V		< 0.5%
PT	220V	0—1000V		< 0.5%
CT				





220V

CT PT U

全功能互感器综合测试仪

CT 测试

PT 测试

数据查询

U盘转存

系统设置

08-12-28 15:30

CT

CT

CT

A.

CT 参数设置

编号: ABC001

相序: A


Kn: 1



变比: 1000:5

确定

:


CT







d.

()







CT

b.

CT

L1

L2

CT

K1

K2

c.




CT




e.

5

200A



E.



4. PT

PT



PT

PT

CT



CT

A. PT



PT

PT





a.



0 - 3 A



0~330V




b.



B. PT

PT

PT



PT 变比测试	
<input type="button" value="自动试验"/>	
一次输出电压 1000V	<input type="button" value="一次停止"/>
<input type="button" value="返回上层"/>	

a.




0 - 1000



5

b.

一次电压: 1000 V	
角差	1.83'
比差	0.00%
极 性 出 口: 0.7284 / -%	



6. U

U

U

5


U




U





U



U

7.









12



“

”

“

”

1

2

1.

2.

1

2

3

027-83267669

4

2

24

24

48

225

027-83267669

www.whhezi.com

whhezi@163.com