

GM


X

غ ، ؤ ج


الف

پ
و

m



.c i





2.

20MΩ	0.5 19.99 MΩ	± (5%+5)
200MΩ	5.0 199.9 MΩ	± (5%+5)
2GΩ	0.05 1.999 GΩ	± (5%+5)
20GΩ	0.5 19.99 GΩ	± (5%+5)
200GΩ	5.0 199.9 GΩ	± (10%+10)
2000GΩ	50 1999 GΩ	± (20%+10)

MΩ 0.5KV

GΩ 2.5kV

2000GΩ

8kV

20GΩ U

70%

2mA(50/60Hz)

3.

4.

19

59

20

3

15

60

3

5.

LCD

6.

1.2V/2000mAh

10

DC12V

50/60Hz

220V

7.

0

40

20

90%

8.

315 × 240 × 155mm 5kg

0-0.1-0.25-0.5-1-2.5-5-10-15-20KV

1. “ L ”



2. “G”

“G”

ε

3. “E”

ε

4.

“L”

5.

6. ;

7. ;

h

8.


9

10 kV


L-E

11. MΩ / GΩ

12. H



19 59 U




9,

‘ kV ’

10,


‘ kV ’ 0.00kV U



U

GM

.....	1
.....	1
.....	2
220V	1
100MΩ 1000MΩ	1
.....	1
.....	1



الف

غ

الف غ

240B9 8961-

~

“

”

ج

غ

ذ

”

ج

ج

1

ج

غ

”

2

~

ج

~

N

ج

α

Añ

U

~

